

FULL BODY HARNESSSES

EXOFIT NEX™

The Ultimate Full Body Comfort Harnesses

ExoFit NEX™ harnesses are the newest, most advanced harnesses in the industry. They're the culmination of our experience with ExoFit™ and ExoFit™ XP, ongoing research and the incorporation of new materials and innovative features. When you purchase an ExoFit NEX™ harness, you can be certain that you're purchasing the finest harness available today, from DBI-SALA® or anyone else.

COMFORT ■ True to our NEX mission, we manufacture these harnesses using materials that won't add unnecessary weight.

FUNCTION ■ When speed and efficiency are project requirements, ExoFit NEX™ will provide the freedom and confidence to function at your maximum potential.

DURABILITY ■ ExoFit NEX™ harnesses are designed using materials that last.

REVOLVER™ VERTICAL TORSO ADJUSTERS

Simple and fast adjustments that eliminate loose ends and lock into place, preventing slippage.

HYBRID COMFORT PADDING

Lightweight, moisture wicking and breathable padding won't move or slip, always keeping the wearer comfortable.

TECH-LITE™ ALUMINUM D-RINGS

Extremely lightweight alloy commonly used in military and aerospace offers a higher level of security and comfort.

INTEGRATED TRAUMA STRAPS

Provide an adjustable, continuous loop for post fall, minimizing suspension trauma.

DUO-LOK™ QUICK CONNECT BUCKLES

Lightweight one-handed use with memory-fit web-lock ensures fast, non-slipping connections.

ULTRA-SOFT EDGING

Moves with you. Doesn't rub or chafe.

SUPERIOR X-DESIGN

A single piece of material in the shape of an X wraps around the wearer for the ultimate in comfort, security and no-tangle donning.

PROTECTIVE SHOULDER CAPS

Provide protection and comfort when carrying heavy materials.

MOLDED LANYARD KEEPERS

Easy holstered snap hooks break away to avoid trip hazard.

REFLECTIVE MATERIAL

For greater visibility in dark and dangerous environments, reflective material is integrated on legs, chest, shoulders and back.

BUILT-IN CARRYING POCKET

Conveniently holds and protects a cell phone, camera or other items.

REPEL TECHNOLOGY WEBBING

Water repellent to reduce attraction of mold and dirt—also has up to 5 times more abrasion resistance.



STAND-UP DORSAL D-RING

Patented spring-loaded design automatically stands-up, ensuring fast, easy and safe connections to your fall arrest system.

**420 LB.
CAPACITY**

Model Shown 1113130

Equipped with



EXOFIT NEX™

VEST-STYLE FULL BODY HARNESSSES

Vest-style harnesses are the most universal, with multiple configurations and connection point options. They're used across a wide variety of industries.



1113010

EXOFIT NEX™ VEST-STYLE HARNESS

Aluminum back D-ring, locking quick connect buckles. (XLarge)

1113001 Small

1113004 Medium

1113007 Large



1113055

EXOFIT NEX™ VEST-STYLE HARNESS

Aluminum back and side D-rings, locking quick connect buckles. (XLarge)

1113046 Small

1113049 Medium

1113052 Large



1113070

EXOFIT NEX™ VEST-STYLE HARNESS

Aluminum back and shoulder D-rings, locking quick connect buckles. (XLarge)

1113061 Small

1113064 Medium

1113067 Large



1113040

EXOFIT NEX™ VEST-STYLE HARNESS

Aluminum front and back D-rings, locking quick connect buckles. (XLarge)

1113031 Small

1113034 Medium

1113037 Large



1113085

EXOFIT NEX™ VEST-STYLE HARNESS

Aluminum front, back and side D-rings, locking quick connect buckles. (XLarge)

1113076 Small

1113079 Medium

1113082 Large

EXOFIT NEX™

CROSS-OVER STYLE HARNESSSES

A front-mounted D-ring makes the cross-over style ideal as a rescue harness and for ladder climbing applications.



1113100

EXOFIT NEX™ CROSS-OVER STYLE HARNESS

Aluminum front and back D-rings, locking quick connect buckles. (XLarge)

1113091 Small

1113094 Medium

1113097 Large



1113115

EXOFIT NEX™ CROSS-OVER STYLE HARNESS

Aluminum front, back and side D-rings, locking quick connect buckles. (XLarge)

1113106 Small

1113109 Medium

1113112 Large

FULL BODY HARNESSSES

EXOFIT NEX™ TOWER CLIMBING HARNESSSES

Tower climbing models are built to keep workers comfortable during extended hours in harness. Tool loops are ideal for carrying equipment.

1113193

EXOFIT NEX™ TOWER CLIMBING HARNESS

Aluminum front, back and side D-rings, locking quick connect buckles with sewn-in hip pad and belt, removable seat sling with positioning D-rings. (XLarge)

1113190 Small

1113191 Medium

1113192 Large



BACK VIEW


A removable seat sling adds even more comfort, for those who wear them all day long.

EXOFIT NEX™ CONSTRUCTION STYLE HARNESSSES

Made for general construction work, these harnesses have excellent tool-carrying capability, sewn-in hip pad and removable body belt.

Protective hip padding loops prevent equipment pouches from sagging and reduce abrasion in vulnerable areas.

Easily adjusted tongue buckle body belt.



1113130

EXOFIT NEX™ CONSTRUCTION STYLE HARNESS

Aluminum back and side D-rings, locking quick connect buckles with sewn-in hip pad, removable belt. (XLarge)

1113121 Small

1113124 Medium

1113127 Large



1113160

EXOFIT NEX™ CONSTRUCTION STYLE HARNESS

Aluminum front, back and side D-rings, locking quick connect buckles, sewn-in hip pad, removable belt. (XLarge)

1113151 Small

1113154 Medium

1113157 Large

EXOFIT NEX™ GLOBAL WIND ENERGY HARNESSSES

Our wind industry harnesses meet global compliance standards: ANSI, OSHA, CSA and CE.

1113218

EXOFIT NEX™ GLOBAL WIND ENERGY HARNESS

Aluminum front, back and side D-rings, locking quick connect buckles and sewn-in hip pad with belt and lumbar wear protection. (XLarge)

1113215 Small

1113216 Medium

1113217 Large



REPLACEABLE LUMBAR PROTECTOR

The lumbar protector is easily replaced in the field when worn or damaged.



RADIO HOLSTER

Conveniently holds and protects a radio, cell phone, or other item like a Lad-Saf™ sleeve. See page 43 for details.

BACK VIEW



1113213

EXOFIT NEX™ GLOBAL WIND ENERGY HARNESS

Aluminum front, back and side D-rings, locking quick connect buckles. (XLarge)

1113210 Small

1113211 Medium

1113212 Large

EXOFIT NEX™ MINERS' HARNESSSES

Our miners' harnesses are made with belts constructed specifically to hold equipment carried by miners.



1113199

EXOFIT NEX™ MINER'S HARNESS

Aluminum back D-ring, locking quick connect buckles, integrated hip padding with belt and miner's equipment straps. (XLarge)

1113195 Small

1113196 Medium

1113197 Large

BACK VIEW

FULL BODY HARNESSSES

EXOFIT NEX™ OIL & GAS FULL BODY HARNESSSES

The ExoFit NEX™ Oil & Gas models combine the industry 1st innovations of the ExoFit NEX™ with the additional features developed specifically for the needs of the on and off shore drilling markets.

1113297

EXOFIT NEX™ OIL & GAS HARNESS

18" D-ring extension, derrick attachments, hip pad & belt with rigid seat sling (Large). For use with 1003221 derrick belt (order separately).

1113295 | Small

1113296 | Medium

1113298 | Large



BACK VIEW

1113292

EXOFIT NEX™ OIL & GAS HARNESS

18" D-ring extension, derrick attachments, quick connect chest buckle, hip pad & belt with lumbar D-ring and soft seat sling (Large). For use with 1000570 derrick belt (order separately).

1113290 | Small

1113291 | Medium

1113293 | XLarge

1113305 | Small (pass-thru chest buckle)

1113306 | Medium (pass-thru chest buckle)

1113307 | XLarge (pass-thru chest buckle)



1113287

EXOFIT NEX™ OIL & GAS HARNESS

18" D-ring extension, derrick attachments, lifting D-rings off hips (Large). For use with 1003221 derrick belt (order separately).

1113285 | Small

1113286 | Medium

1113288 | XLarge

1003221

DERRICK BELT

With tongue buckle attachment (Large) (Harnesses sold separately.)



DERRICK BELT

1003230 With tongue buckle attachment (Small).

1003220 With tongue buckle attachment (Medium).

1003222 With tongue buckle attachment (XLarge).

1000572 With pass-thru attachment (Small).

1000573 With pass-thru attachment (Medium).

1000570 With pass-thru attachment (Large/XLarge).

EXOFIT NEX™

ROPE ACCESS & RESCUE HARNESSES—Certified to NFPA 1983

The ExoFit NEX™ Rope Access and Rescue Harnesses incorporate the most advanced technologies in the industry. These multi-use harnesses are ideal for the professional performing rescue and emergency services, industrial rope access and rigging, wind energy and tower maintenance—as well as for arborist activities. The harnesses combine specialized designs, components and hardware to optimize rope rescue and industrial rope access work.



1113348

EXOFIT NEX™ ROPE ACCESS AND RESCUE HARNESS

Repel™ web, Tech-Lite™ aluminum front, back and side D-rings, Duo-Lok™ quick connect buckles and hybrid comfort padding (XLarge)

1113345 | Small

1113346 | Medium

1113347 | Large

EXOFIT NEX™ ROPE ACCESS & RESCUE BLACKOUT HARNESS

1113373

EXOFIT NEX™ BLACK-OUT ROPE ACCESS AND RESCUE HARNESS

Repel™ web, Tech-Lite™ aluminum front, back and side D-rings, Duo-Lok™ quick connect buckles and hybrid comfort padding (XLarge)

1113370 | Small

1113371 | Medium

1113372 | Large



EXOFIT NEX™ ARC FLASH

The Ultimate Full Body Comfort Harnesses

ExoFit NEX™ Arc Flash models feature flame resistant and non-conductive construction, making them perfect for use where high voltage electricity or hot-work such as welding is a concern. These harnesses include all of the Comfort, Function and Durability features of the original NEX harness. In addition to meeting the ASTM F887-11 arc flash standard specification for personal climbing equipment, they also meet ANSI Z359 and CSA requirements.

FLAME RESISTANT WEBBING

Nomex® exterior with Kevlar® core and thread provides 7,000 lb. strength and ultimate flame resistance.

REVOLVER™ VERTICAL TORSO ADJUSTERS

Simple and fast adjustments that eliminate loose ends and lock into place, preventing slippage.

PVC COATED TECH-LITE™ ALUMINUM D-RINGS

Non-conductive, extremely lightweight aluminum alloy hardware offers the highest level of comfort and security.

FLAME RESISTANT TRAUMA STRAPS

Provide an adjustable, continuous loop for post fall, minimizing suspension trauma.

INTEGRATED INSULATORS

Leather insulators behind exposed hardware prevent contact with body during "hot" situations.



ULTRA-SOFT EDGING

Moves with you. Doesn't rub or chafe.

SUPERIOR X-DESIGN

Wrap-around design provides the ultimate in comfort, security and no-tangle donning.

ARC FLASH RATED

Tested to perform in accordance with ASTM F887-11 standard for personal climbing equipment.

ARC FLASH HYBRID PADDING

Lightweight shoulder, hip and leg padding always keeps the wearer comfortable.

MOLDED LANYARD KEEPERS

Easy holstered lanyard hooks break away to avoid trip hazard.

REFLECTIVE MATERIAL

Integrated on legs, chest, shoulders and back for greater visibility and safety.

BUILT-IN CARRYING POCKET

Conveniently holds a cell phone, camera or other items.

DUO-LOK™ QUICK CONNECT BUCKLES

Lightweight aluminum, one-handed use with memory fit web lock ensures fast, non-slipping connections.

STAND-UP DORSAL D-RING

Non-conductive, extremely lightweight PVC-coated aluminum D-ring is spring loaded for fast and easy connections. Also available in web loop configurations.



Equipped with



EXOFIT NEX™ ARC FLASH

VEST-STYLE FULL BODY HARNESSSES



1103088

EXOFIT™ ARC FLASH HARNESS

Nomex®/Kevlar® web, PVC coated aluminum back D-ring, locking quick connect buckles, comfort padding. (XLarge)

1103085 Small

1103086 Medium

1103087 Large



1113338

EXOFIT NEX™ ARC FLASH HARNESS

Nomex®/Kevlar® web, PVC coated aluminum back D-ring, coated pass-thru buckles, comfort padding. (XLarge)

1113335 Small

1113336 Medium

1113337 Large



1103073

EXOFIT NEX™ ARC FLASH POSITIONING HARNESS

Nomex®/Kevlar® web, PVC coated aluminum back and side D-rings, locking quick connect buckles, comfort padding. (XLarge)

1103070 Small

1103071 Medium

1103072 Large



1113333

EXOFIT NEX™ ARC FLASH CLIMBING HARNESS

Nomex®/Kevlar® web, PVC coated aluminum front, back and side D-rings, locking quick connect buckles, comfort padding. (XLarge)

1113330 Small

1113331 Medium

1113332 Large



1113328

EXOFIT NEX™ ARC FLASH RESCUE HARNESS

Nomex®/Kevlar® web, dorsal web loop and front rescue loops, locking quick connect buckles, comfort padding. (XLarge)

1113325 Small

1113326 Medium

1113327 Large

EXOFIT NEX™ ARC FLASH CONSTRUCTION STYLE HARNESSSES

With integrated hip pad and body belt, these harnesses have excellent tool-carrying capabilities, allow work positioning and provide added back support.



1113318

EXOFIT NEX™ ARC FLASH CONSTRUCTION HARNESS

Nomex®/Kevlar® web, PVC coated aluminum back and side D-rings, locking quick connect buckles, sewn-in hip pad and belt, comfort padding. (XLarge)

1113315 Small

1113316 Medium

1113317 Large



1113323

EXOFIT NEX™ ARC FLASH CONSTRUCTION HARNESS

Nomex®/Kevlar® web, dorsal web loop, front rescue loops and PVC coated side D-rings, locking quick connect buckles, sewn-in hip pad and belt, comfort padding. (XLarge)

1113320 Small

1113321 Medium

1113322 Large