SALA

EXOFIT™ XP

The Second Generation Full Body Comfort Harnesses

ExoFit™ XP made its mark as the industry's most comfortable harness. Its design incorporates a single piece of material that wraps around you in the shape of an X, for the ultimate in no-tangle donning and comfortable security. Its padding can be removed and cleaned. XP materials are soft and lightweight, yet extremely durable.

EASY-GRIP END TABS

For fast, efficient and secure web adjustment.



REMOVABLE PADDING

Cleaning is easy. Just throw it in the washer.

CUSHIONED LEG AND HIP STRAPS

Comfort and additional security during a fall.

QUICK CONNECT BUCKLES =

Color-coded and provide one-handed operation for fast, easy donning.

ULTRA-SOFT EDGING

Moves with you. Doesn't rub or chafe.

Equipped with



CUSHIONED SHOULDER PADS

Keeps pressure off, absorbs shock, helps distribute weight in a fall. Designed so they won't slip or slide off your shoulder.

REFLECTIVE PIPING

Enhances visibility in low-light conditions.

INTEGRATED LANYARD KEEPERS

Prevent dangerous entanglements. They snap free when snagged.

SOFT, LIGHTWEIGHT WEBBING

Strong, yet isn't stiff or coarse.

· 3-D MESH AND Breathable Lining

Allows moisture to evaporate and cool air to circulate, keeping you cool and dry.



STAND-UP DORSAL D-RING WITH IMPACT INDICATOR

It's spring-loaded, ensuring fast, easy and safe connections to a lanyard or SRL.



420 LB.

Model Shown 1110103

SUPERIOR X-DESIGN

A single piece of material in the shape of an X wraps around the wearer for the ultimate in comfort, security and no-tangle donning.



EXOFIT™ XP

VEST-STYLE FULL BODY HARNESSES

Vest-style harnesses are the most universal, with multiple configurations and connection point options. They're used across a wide variety of industries.



1110228

EXOFIT™ XP VEST-STYLE HARNESS

Back and side D-rings, loops for belt, quick connect buckles. (XLarge)

1110225 Small

1110226 Medium

1110227 Large



1110128

EXOFIT™ XP VEST-STYLE HARNESS

Back D-ring, loops for belt, tongue buckle legs. (XLarge)

1110125 Small

1110126 Medium

1110127 Large



1109728

EXOFIT™ XP **VEST-STYLE HARNESS**

Front and back D-rings, loops for belt, quick connect buckles. (XLarge)

1109725 Small

1109726 Medium

1109727 Large



1109753

EXOFIT™ XP VEST-STYLE HARNESS

Front, back and side D-rings, loops for belt, quick connect buckles. (XLarge)

1109750 Small

1109751 Medium

1109752 Large

EXOFIT™ XP **CROSS-OVER STYLE HARNESSES**

1110103

buckles. (XLarge)

1110101 Medium

1110100 Small

1110102 Large

EXOFIT™ XP VEST-STYLE HARNESS

Back D-ring, loops for belt, quick connect

A front-mounted D-ring makes the cross-over style ideal for ladder climbing and rescue applications.



1109803

EXOFIT™ XP CROSS-OVER STYLE HARNESS

Front and back D-rings, loops for belt, quick connect buckles. (XLarge)

1109800 Small

1109801 Medium

1109802 Large



1110353

EXOFIT™ XP CROSS-OVER STYLE HARNESS

Back, front, and side D-rings, sewn-in hip pad and hip adjustments. (XLarge)

1110350 Small

1110351 Medium

1110352 Large

FULL BODY HARNESSES

EXOFIT

EXOFIT[™] XP

CONSTRUCTION STYLE HARNESSES Made for general construction work, these harnesses have excellent tool-carrying capability, a sewn-in hip pad and removable body belt.



1110153

EXOFIT™ XP Construction Style Harness

Back D-ring, sewn-in back pad and belt with side D-rings, quick connect buckles. (XLarge)

1110150 SM 1110151 MED 1110152 LG



1110178

EXOFIT™ XP Construction style harness

Back D-ring, sewn-in back pad and belt with side D-rings, tongue buckle legs. (XLarge)

1110175 SM 1110176 MED 1110177 LG





- Dorsal web loop option for no metal connections
- 7,000 lb. Nylon or Nomex®/Kevlar® webbing options to meet your different jobsite needs
- Flame resistant Nomex®/Kevlar® fabric used in back, hip and leg pads
- Leather insulator option behind metal hardware reduces static energy transfer
- PVC coated hardware option for non-conductive, non-sparking applications

EXOFIT™ XP ARC FLASH HARNESSES

XP arc flash harnesses are perfect for use in any industry where high voltage electricity is a concern. That's because all DBI-SALA® arc flash equipment has been tested to perform in accordance with the stringent ASTM F887-11 Standard Specification for Personal Climbing Equipment.

Testing for fall protection is performed in two steps. The first exposes the equipment to an arc flash at 40 cal/cm² and the second is a drop test compliant with ANSI Z359.1 after the exposure.



EXOFIT™ XP ARC FLASH HARNESS

Removable Nomex®/Kevlar® padding, 7,000 lb. nylon web, back web loop, quick connect buckles, back and leg Nomex®/Kevlar® pads, leather insulators, rescue loops. (XLarge)

1110964 SM, 1110840 MED, 1110841 LG



1110892

EXOFIT™ XP ARC FLASH HARNESS

Nomex®/Kevlar® webbing, PVC-coated hardware, pass-thru buckles, back and leg Nomex®/Kevlar® pads. (XLarge)

1110893 Small

1110890 Medium

1110891 Large

EXOFIT XP" /	ARC FLASH	HARNESSES
--------------	-----------	-----------

X-LARGE SMALL MEDIUM LARGE
1100942 1100943 1100940 1100941

Nomex®/Kevlar® web, vest-style, back D-ring, Nomex®/Kevlar® back and leg pads, quick connect buckles.

1110845 1110849 1110843 1110844

Removable Nomex®/Kevlar® padding, 7,000 lb. nylon web, quick connect buckles, rescue loops, leather insulators, PVC coated back D-ring.

1110872 1110873 1110870 1110871

Cross-over style, removable Nomex®/Kevlar® padding, 7000 lb. nylon web, front and back web loop, quick connect buckles, leather insulators,

1110882 1110883 1110880 1110881

Construction style, Nomex®/Kevlar® web and pads, back web loop, quick connect buckles, Kevlar® pass-thru body belt.

1111303 1111300 1111301 1111302

Construction style, Nomex®/Kevlar® web and pads, PVC coated back D-ring, quick connect buckles, Kevlar® pass thru body belt.



1110852

EXOFIT™ XP CONSTRUCTION ARC FLASH HARNESS

Removable Nomex®/Kevlar® padding, 7,000 lb. nylon web, back web loop, quick connect buckles, leather insulators, rescue loops and body belt. (XLarge)

1110853 Small

1110850 Medium

1110851 Large

DBI-SALA*